



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE

Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznamovaný subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán • Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body • Prosecká 811/76a, 190 00 Praha 9 - Prosek, Czech Republic

Notified Body 1020

CERTIFICATE OF CONFORMITY
OF THE FACTORY PRODUCTION CONTROL

No. 1020 – CPR – 070045001

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Metal chimney systems, metal rigid flue liners, accessories and fittings operating in negative and positive pressure, intended for discharging of exhaust gases to the atmosphere

Chimney system type SOLINOX SINGLE WALL:

- SLXB (Ø100 to Ø600) T160-N1-D-V₂-L50(040-150)-G300+G600
- SLXB (Ø100 to Ø600) T160-N1-W-V₂-L50(040-150)-O300+O600
- SLXB (Ø100 to Ø1200) T400-N1-D-V₂-L50(040-150)- G250+G1000
- SLXB (Ø100 to Ø1200) T400-N1-W-V₂-L50(040-150)- O250+O1000
- SLXB (Ø100 to Ø600) T200-P1-W-V₂-L50(040-150)- O150+O300
- SLXB (Ø 80 to Ø 600) T600-N1-D-V₂-L50(040-150)-G250+G600
- ECO SW (Ø 80 to Ø 1200) T450-N1-D-Vm-L20(040-150)-G250

Chimney system type SOLINOX DOUBLE WALL:

- SLXBA (Ø100 to Ø1200) T400-N1-D-V₂-L50(040-150)- G100+G400
- SLXBA (Ø100 to Ø1200) T400-N1-W-V₂-L50(040-150)-O100+O400
- SLXBA (Ø 80 to Ø 600) T600-N1-D-V₂-L50(040-150)- G50
- SLXBA (Ø 80 to Ø 600) T200-P1-W-V₂-L50(040-150)-O100+O600
- ECO DW (Ø 80 to Ø 1200) T600-N1-D-Vm-L20(040-150)-G100
- SLXBA (Ø 80 to Ø 600) T600-N1-W-V₂-L50(040-150)- G50

placed on the market under the name or trade mark of

MURAT ÇANKIRLI İNŞAAT MAKİNA GIDA SAN VE TİC. LTD. ŞTİ.

Fevziçakmak mah. Büsan Sanayi Sitesi Kosgeb cad. 10646. Sk. No:6-8, Karatay/Konya, Turkey

and produced in the manufacturing plant

MURAT ÇANKIRLI İNŞAAT MAKİNA GIDA SAN VE TİC. LTD. ŞTİ.

Fevziçakmak mah. Büsan Sanayi Sitesi Kosgeb cad. 10646. Sk. No:6-8, Karatay/Konya, Turkey

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standards

EN 1856-1:2009; EN 1856-2:2009

under system 2+ are applied and that

the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on 20 March 2013 under CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

This certificate includes nine annexes (10 pages) which are integral parts of the certificate.

The stamp of the Notified Body 1020

Ostrava, 20 December, 2018



Dipl. Eng. Vojtěch Šebek
Deputy manager of the Notified Body